



MULTI/JOINT® 3007 Plus Kobling, trækfast, Uni/Fiksers

Generelt:

- Suitable for all kinds of pipe material
- Suitable for water and gas (EPDM only for potable water)
- Ductile cast iron GGG45 body and clamping ring(s), acc. to EN-GJS-450-10
- RESICOAT® epoxy powder coating, according to GSK standards and EN 14901
- NBR or EPDM gasket, NBR acc. to EN 682 (-5°C up to +50°C), EPDM acc. to EN 681-1 (0°C up to +50°C)
- Angular deflection of max. 8° per socket at installation (based on the middle of the range)
- Stainless steel A4 quality (AISI 316) Uni/Fiksers
- Stainless steel A2 quality (AISI 304) or A4 quality (AISI 316) bolts, nuts and washers
- Hygiene protection included DN50 - DN1025

Installationsvejledning:

- Read the user manual
- For restraint versions, on plastic pipes, the use of an insert stiffener (see accessories) is mandatory, check our technical information
- Please note, when using a MULTI/JOINT® DN625 till DN800 on plastic pipes, the use of the insert stiffener MJ DN625 - DN800 (see accessories) is mandatory
- * DN350 & DN400 for plastic pipe materials = PN 10 bar water / MOP 5 bar gas

Bemærk:

ID min. = minimum insertion depth

DN625 - DN1025 for water applications only

DN (mm)	Tol. 1 (mm)	Tol. 3 (mm)
50	46 - 71	46 - 71
65	63 - 90	63 - 90
80	84 - 105	84 - 105
100	104 - 132	104 - 132
125	132 - 155	132 - 155
150	154 - 192	154 - 192
200	192 - 232	192 - 232
225	230 - 268	230 - 268
250	267 - 310	267 - 310
300	315 - 356	315 - 356
350	352 - 393	352 - 393
400	392 - 433	392 - 433
425	432 - 464	432 - 464
450	450 - 482	450 - 482
475	481 - 513	481 - 513
500	500 - 532	500 - 532
550	548 - 580	548 - 580
600	605 - 637	605 - 637
625	630 - 662	630 - 662
675	665 - 697	665 - 697
700	709 - 741	709 - 741
750	745 - 777	745 - 777
800	799 - 831	799 - 831
825	837 - 869	837 - 869
COMING SOON	900	899 - 931
COMING SOON	925	939 - 971
COMING SOON	1000	994 - 1026
COMING SOON	1025	1042 - 1074

DN (mm)	NBR / A2 Vare nr.	EPDM / A2 Vare nr.	Vægt (kg)	PF
50	709 305 210	709 305 610	5,100	1 54 323 061
65	709 305 212	709 305 612	6,100	1 54 323 061
80	709 305 214	709 305 614	7,300	1 54 323 061
100	709 305 216	709 305 616	9,200	1 54 323 061
125	709 305 218	709 305 618	12,300	1 54 323 061

	DN (mm)	NBR / A2 Vare nr.	EPDM / A2 Vare nr.	Vægt (kg)	PF
	150	709 305 220	709 305 620	16,500	1 54 323 061
	200	709 305 224	709 305 624	26,900	1 54 323 061
	225	709 305 226	709 305 626	39,500	1 54 323 061
	250	709 305 228	709 305 628	41,100	1 54 323 061
	300	709 305 232	709 305 632	53,700	1 54 323 061
	350	709 305 236	709 305 636	68,100	1 54 323 061
	400	709 305 240	709 305 640	68,700	1 54 323 061
	425	709 305 242	709 305 642	92,300	1 54 323 071
	450	709 305 272	709 305 672	96,800	1 54 323 071
	475	709 305 273	709 305 673	100,200	1 54 323 071
	500	709 305 274	709 305 674	105,700	1 54 323 071
	550	709 305 276	709 305 676	117,300	1 54 323 071
	600	709 305 278	709 305 678	137,500	1 54 323 071
	625				
	675				
	700				
	750				
	800				
	825				
COMING SOON	900				
COMING SOON	925				
COMING SOON	1000				
COMING SOON	1025				

	DN (mm)	NBR / A4 Vare nr.	EPDM / A4 Vare nr.	Vægt (kg)
	50	709 305 010	709 305 310	5,100
	65	709 305 012	709 305 312	6,100
	80	709 305 014	709 305 314	7,300
	100	709 305 016	709 305 316	9,200
	125	709 305 018	709 305 318	12,300
	150	709 305 020	709 305 320	16,500
	200	709 305 024	709 305 324	26,900
	225	709 305 026	709 305 326	39,500
	250	709 305 028	709 305 328	41,100
	300	709 305 032	709 305 332	53,700
	350	709 305 036	709 305 336	68,100
	400	709 305 040	709 305 340	68,700
	425	709 305 042	709 305 342	92,300
	450	709 305 072	709 305 372	96,800
	475	709 305 073	709 305 373	100,200
	500	709 305 074	709 305 374	105,700
	550	709 305 076	709 305 376	117,300
	600	709 305 078	709 305 378	137,500
	625	709 305 280	709 305 680	226,700
	675	709 305 281	709 305 681	235,500
	700	709 305 282	709 305 682	251,000
	750	709 305 285	709 305 685	264,700
	800	709 305 283	709 305 683	282,200
	825	709 305 284	709 305 684	292,700
COMING SOON	900	709 305 279	709 305 679	327,000
COMING SOON	925	709 305 286	709 305 686	342,000
COMING SOON	1000	709 305 287	709 305 687	361,000
COMING SOON	1025	709 305 288	709 305 688	374,000

	DN (mm)	a (mm)	b (mm)	ID min. (mm)	e (mm)	PN Vand (bar)	MOP Gas (bar)
	50	206 - 250	170	84	3xM12	16	8
	65	215 - 261	191	84	3xM12	16	8
	80	218 - 262	210	84	3xM12	16	8
	100	228 - 280	241	90	3xM16	16	8
	125	240 - 286	270	90	4xM16	16	8
	150	278 - 352	312	110	4xM16	16	8
	200	303 - 377	371	110	6xM16	16	8
	225	350 - 426	415	125	6xM20	16	8
	250	377 - 462	445	130	6xM20	16	8
	300	384 - 460	495	130	8xM20	16	8
	350	380 - 470	534	130	8xM20	16*	8*
	400	380 - 470	574	135	10xM20	16*	8*
	425	460 - 535	623	160	10xM20	10	5
	450	460 - 535	641	160	10xM20	10	5
	475	460 - 535	672	160	10xM20	10	5
	500	460 - 535	691	160	10xM20	10	5
	550	460 - 535	739	160	12xM20	10	5
	600	480 - 555	796	170	14xM20	10	5
	625	657 - 717	860	210	14xM20	10	-
	675	660 - 720	895	210	14xM20	10	-
	700	667 - 727	940	210	16xM20	10	-
	750	667 - 727	970	210	16xM20	10	-
	800	667 - 727	1030	210	20xM20	10	-
	825	667 - 727	1070	210	20xM20	10	-
COMING SOON	900	730 - 790	1130	210	22xM20	10	-
COMING SOON	925	730 - 790	1175	210	22xM20	10	-
COMING SOON	1000	730 - 790	1230	210	24xM20	10	-
COMING SOON	1025	730 - 790	1280	210	28xM20	10	-

De tekniske data er uforpligtende. De er hverken udtryk for garanterede egenskaber, funktioner eller for garanteret holdbarhed. Ret til ændringer forbeholdes. Vores generelle salgsbetingelser er gældende.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>