



The affordable way to install or replace T8 LEDtubes

CorePro LEDtube EM/Mains T8

Philips CorePro LEDtubes are the quick and easy way to replace T8 fluorescent or other LED tubes with a fast pack back time. Not only does the Core range of LEDtubes require a low initial investment, but LED energy efficiency also delivers instant savings that you can bank on over a long and reliable lifetime. Plus, with the same lamp size and light distribution as fluorescent alternatives, you'll never know the difference. There are two ways to install these LED tubes: Rewire your existing fluorescent-based luminaires so the CorePro LEDtubes work directly on the Mains. Or simply change the fluorescent starter to an LED starter that can be used with your Electromagnetic ballasts.

Benefits

- Optimized energy savings – about 50% more than fluorescent alternatives
- Easy Installation – retrofit or rewire
- Same look and feel as fluorescent lamps
- Minimize maintenance costs – Last twice as long as fluorescent tubes to reduce replacement costs

Features

- Choice of colors: 4000K and 6500K
- The right fit – 600mm/1200 or 1500mm
- Longer lifetime – Lasts twice as longer as fluorescent lamps
- Wide range of applications

CorePro LEDtube EM/Mains T8








Application

- Offices
- Banks
- Education
- Food and Large Retailers
- Light Commercial


Warnings and Safety

- NOTE: The overall energy efficiency and light distribution of any installation that uses these lamps will be determined by the design of the installation.
- Installation must be done according to the installation diagrams provided with the lamp or available online. Installation must be done by a certified professional.

Versions

	Medium Bi-Pin Fluorescent Tube, single-ended Frosted		Medium Bi-Pin Fluorescent Tube, double-ended Frosted
	Medium Bi-Pin Fluorescent Tube, single-ended		Medium Bi-Pin Fluorescent Tube, double-ended
	Medium Bi-Pin Fluorescent Tube, single-ended		Medium Bi-Pin Fluorescent Tube, single-ended Frosted
	Medium Bi-Pin Fluorescent Tube, double-ended Frosted		


Dimensional drawing



Product	D1	D2	A1	A2	A3
CorePro LEDtube 1800mm 21W 840 T8	25.8 mm	28 mm	1762.6 mm	1769.7 mm	1776.8 mm
CorePro LEDtube 1800mm 21W 865 T8	25.8 mm	28 mm	1762.6 mm	1769.7 mm	1776.8 mm

CorePro LEDtube EM/Mains T8

Dimensional drawing



Product	D1	D2	A1	A2	A3
CorePro LEDtube 1500mm	25.7	28 mm	1500 mm	1507.1	1514.2
UO 31.5W 840 T8	mm			mm	mm
CorePro LEDtube 600mm	25.7	28 mm	588.5 mm	595.5 mm	602.5
HO 8W 865 T8	mm				mm
CorePro LEDtube 600mm	25.7	28 mm	588.5 mm	595.5 mm	602.5
HO 8W 840 T8	mm				mm
CorePro LEDtube 1200mm	25.7	28 mm	1198 mm	1205 mm	1212 mm
UO 21.5W 840 T8	mm				
CorePro LEDtube 1500mm					
HO 24W 840 T8					
CorePro LEDtube 1200mm					
15.5W 840 T8					
CorePro LEDtube 1200mm					
15.5W 840 T8					
CorePro LEDtube 1200mm					
15.5W 865 T8					
CorePro LEDtube 1200mm					
15.5W 865 T8					
CorePro LEDtube 1200mm					
15.5W 865 T8 CL					
CorePro LEDtube 1200mm					
15.5W 840 T8 CL					
CorePro LEDtube 600mm					
8W 840 T8					
CorePro LEDtube 600mm					
8W 865 T8					
CorePro LEDtube 600mm					
8W 840 T8 CL					
CorePro LEDtube 1500mm					
20W 840 T8					
CorePro LEDtube 1500mm					
20W 865 T8 CL					
CorePro LEDtube 600mm					
8W 865 T8 CL					
CorePro LEDtube 1500mm					
20W 865 T8					
CorePro LEDtube 1500mm					
20W 840 T8 CL					
CorePro LEDtube 600mm	25.7	28 mm	588.5 mm	595.5 mm	602.5
9W 840 T8 AP I	mm				mm
CorePro LEDtube 600mm	25.7	28 mm	588.5 mm	595.5 mm	602.5
9.9W 840 T8 AU	mm				mm
CorePro LEDtube 600mm	25.7	28 mm	588.5 mm	595.5 mm	602.5
9.9W 865 T8 AU	mm				mm
CorePro LEDtube 600mm	25.7	28 mm	588.5 mm	595.5 mm	602.5
9W 865 T8 AP I	mm				mm
CorePro LEDtube 1200mm	25.7	28 mm	1198 mm	1205 mm	1212 mm
16W 840 T8 AP I	mm				
CorePro LEDtube 1200mm	25.7	28 mm	1198 mm	1205 mm	1212 mm
17.6W 840 T8 AU	mm				



CorePro LEDtube EM/Mains T8

Dimensional drawing

Product	D1	D2	A1	A2	A3
CorePro LEDtube 1200mm 17.6W 865 T8 AU	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1200mm 16W 865 T8 AP I	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1200mm 16W 865 T8 MY	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1500mm 20W 840 T8 AP I	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1500mm 20W 865 T8 AP I	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1500mm 22W 840 T8 AU	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1500mm 22W 865 T8 AU	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
Corepro LEDtube HO 1200mm 18W840T8 AP	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube HO 1200mm 18W865T8 AP	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1200mm HO 18W 840 T8					
CorePro LEDtube 1200mm HO 18W 865 T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1500mm HO 24W 840 T8					
CorePro LEDtube 1500mm HO 24W 865 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 600mm 8W 865 T8	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
CorePro LEDtube 600mm 8W 840 T8	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
CorePro LEDtube 1500mm 20W 865 T8					
CorePro LEDtube 1500mm 20W 840 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1500mm HO 24W 865 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1200mm HO 18W 865 T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1200mm HO 18W 840 T8					
CorePro LEDtube 1500mm UO 31.5W 865 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1200mm UO 21.5W 865 T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1500mm HO 24W 830 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 600mm 8W 840 VVV T8	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
CorePro LEDtube 1200mm 16W 840 VVV T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm

CorePro LEDtube EM/Mains T8

Product	D1	D2	A1	A2	A3
CorePro LEDtube 1200mm 16W 865 VVW T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube HO 1200mm 18W865 VVW T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 600mm 8W 865 VVW T8	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
CorePro LEDtube HO 1200mm 18W840 VVW T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1500mm 20W 830 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1200mm UO 21.5W 830 T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1500mm UO 31.5W 830 T8	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1800mm 21W830 T8	25.8 mm	28 mm	1762.6 mm	1769.7 mm	1776.8 mm
CorePro LEDtube 1200mm HO 18W 830 T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 600mm 8W 830 T8	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
CorePro LEDtube 1200mm 15.5W 830 T8	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 600mm HO 8W 830 T8	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm




Product	D1	D2	A1	A2	A3
CorePro Ledtube 1200mm 13.5W 840 T8 G13	25.7 mm	28 mm	1198.2 mm	1205.3 mm	1212.4 mm
CorePro Ledtube 1200mm 13.5W 865 T8 G13	25.7 mm	28 mm	1198.2 mm	1205.3 mm	1212.4 mm

Product	D1	D2	A1	A2	A3
CorePro LEDtube 1200mm 14.5W865	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1200mm 14.5W840	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1200mm 16W865 AU	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm
CorePro LEDtube 1500mm 22W 840 AU	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 600mm 8.8W840 AU	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm
CorePro LEDtube 1500mm 22W 865 AU	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm
CorePro LEDtube 1200mm 16W840 AU	25.7 mm	28 mm	1198 mm	1205 mm	1212 mm

CorePro LEDtube EM/Mains T8

Dimensional drawing

Product	D1	D2	A1	A2	A3
CorePro LEDtube 600mm 8.8W865 AU	25.7 mm	28 mm	588.5 mm	595.5 mm	602.5 mm



Product	D1	D2	A1	A2	A3
CorePro LEDTube 8ft 33W 3800lm 865 T8 BR	27.8 mm	27.8 mm	2373.1 mm	2380.2 mm	2387.3 mm
CorePro LEDtube 1200mm HO 18W840 C W G	25.6 mm	27.8 mm	1199.4 mm	1205.3 mm	1213.6 mm
CorePro LEDtube 1200mm 18W 840 T8C W G	25.6 mm	27.8 mm	1199.4 mm	1205.3 mm	1213.6 mm
CorePro LEDtube 1200mm 18W 830 T8C W G	25.6 mm	27.8 mm	1199.4 mm	1205.3 mm	1213.6 mm
CorePro LEDtube 1200mm 18W 865 T8C W G	25.6 mm	27.8 mm	1199.4 mm	1205.3 mm	1213.6 mm
CorePro LEDtube 1200mm HO 18W865 C W G	25.6 mm	27.8 mm	1199.4 mm	1205.3 mm	1213.6 mm
CorePro LEDtube 600mm 9W 840 T8 C W G	25.6 mm	27.8 mm	589.8 mm	595.7 mm	604 mm
CorePro LEDtube 600mm 9W 830 T8C W G	25.6 mm	27.8 mm	589.8 mm	595.7 mm	604 mm
CorePro LEDtube 600mm 9W 865 T8 C W G	25.6 mm	27.8 mm	589.8 mm	595.7 mm	604 mm

CorePro LEDtube EM/Mains T8

Controls and dimming

Dimmable	No
----------	----

Operating and electrical

Input Frequency	50 to 60 Hz
-----------------	-------------

Starting Time (Nom)	0.5 s
---------------------	-------

General information

Cap-Base	G13
----------	-----

Light technical

Color Rendering Index (Nom)	80
-----------------------------	----

Llmf At End Of Nominal Lifetime (Nom)	70 %
---------------------------------------	------

Temperature

T-Ambient (Max)	45 °C
-----------------	-------

T-Ambient (Min)	-20 °C
-----------------	--------

T-Storage (Min)	-40 °C
-----------------	--------

Approval and application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929001337919	CorePro LEDtube 1500mm 22W 840 AU	20 kWh
929001338019	CorePro LEDtube 1500mm 22W 865 AU	20 kWh
929001338619	CorePro LEDtube 600mm 8.8W840 AU	8 kWh
929001338719	CorePro LEDtube 600mm 8.8W865 AU	8 kWh
929001338819	CorePro LEDtube 1200mm 16W840 AU	15 kWh
929001338919	CorePro LEDtube 1200mm 16W865 AU	15 kWh
929003022302	CorePro LEDtube 1200mm 14.5W840	15 kWh
929003022402	CorePro LEDtube 1200mm 14.5W865	15 kWh
929001874802	CorePro LEDtube 1200mm HO 18W 865 T8	18 kWh
929001874832	CorePro LEDtube 1200mm HO 18W 865 T8	18 kWh
929001874902	CorePro LEDtube 1200mm HO 18W 840 T8	18 kWh
929001874932	CorePro LEDtube 1200mm HO 18W 840 T8	18 kWh
929001875002	CorePro LEDtube 1500mm HO 24W 865 T8	24 kWh
929001875032	CorePro LEDtube 1500mm HO 24W 865 T8	24 kWh
929001875102	CorePro LEDtube 1500mm HO 24W 840 T8	24 kWh
929001875132	CorePro LEDtube 1500mm HO 24W 840 T8	24 kWh
929003022102	CorePro LEDtube 600mm 8W 840 T8	8 kWh
929003022202	CorePro LEDtube 600mm 8W 865 T8	8 kWh
929003022502	CorePro LEDtube 1500mm 20W 840 T8	20 kWh
929003022602	CorePro LEDtube 1500mm 20W 865 T8	20 kWh
929003154202	CorePro LEDtube 1200mm UO 21.5W 840 T8	22 kWh
929003154302	CorePro LEDtube 1200mm UO 21.5W 865 T8	22 kWh
929003154402	CorePro LEDtube 1500mm UO 31.5W 840 T8	32 kWh
929003154502	CorePro LEDtube 1500mm UO 31.5W 865 T8	32 kWh
929003158602	CorePro LEDtube 600mm HO 8W 840 T8	8 kWh
929003158702	CorePro LEDtube 600mm HO 8W 865 T8	8 kWh
929003519702	CorePro LEDtube 1200mm 15.5W 840 T8	16 kWh
929003519732	CorePro LEDtube 1200mm 15.5W 840 T8	16 kWh
929003519762	CorePro LEDtube 1200mm 15.5W 840 T8 CL	16 kWh
929003519802	CorePro LEDtube 1200mm 15.5W 865 T8	16 kWh
929003519832	CorePro LEDtube 1200mm 15.5W 865 T8	16 kWh
929003519862	CorePro LEDtube 1200mm 15.5W 865 T8 CL	16 kWh
929003520108	CorePro LEDtube 600mm 9W 840 T8 AP I	-
929003520119	CorePro LEDtube 600mm 9.9W 840 T8 AU	-
929003520208	CorePro LEDtube 600mm 9W 865 T8 AP I	-
929003520219	CorePro LEDtube 600mm 9.9W 865 T8 AU	-
929003520308	CorePro LEDtube 1200mm 16W 840 T8 AP I	-
929003520319	CorePro LEDtube 1200mm 17.6W 840 T8 AU	-
929003520408	CorePro LEDtube 1200mm 16W 865 T8 AP I	-
929003520419	CorePro LEDtube 1200mm 17.6W 865 T8 AU	-
929003520437	CorePro LEDtube 1200mm 16W 865 T8 MY	-
929003520508	CorePro LEDtube 1500mm 20W 840 T8 AP I	-
929003520519	CorePro LEDtube 1500mm 22W 840 T8 AU	-
929003520608	CorePro LEDtube 1500mm 20W 865 T8 AP I	-
929003520619	CorePro LEDtube 1500mm 22W 865 T8 AU	-
929003520708	Corepro LEDtube HO 1200mm 18W840T8 AP	-
929003520808	CorePro LEDtube HO 1200mm 18W865T8 AP	-
929003534411	CorePro LEDtube 600mm 8W 840 VWV T8	-
929003534511	CorePro LEDtube 600mm 8W 865 VWV T8	-
929003534611	CorePro LEDtube 1200mm 16W 840 VWV T8	-
929003534711	CorePro LEDtube 1200mm 16W 865 VWV T8	-

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929003534811	CorePro LEDtube HO 1200mm 18W840 VWV T8	-
929003534911	CorePro LEDtube HO 1200mm 18W865 VWV T8	-
929003547202	CorePro LEDtube 600mm 8W 840 T8	8 kWh
929003547262	CorePro LEDtube 600mm 8W 840 T8 CL	8 kWh
929003547302	CorePro LEDtube 600mm 8W 865 T8	8 kWh
929003547362	CorePro LEDtube 600mm 8W 865 T8 CL	8 kWh
929003547402	CorePro LEDtube 1500mm 20W 840 T8	20 kWh
929003547462	CorePro LEDtube 1500mm 20W 840 T8 CL	20 kWh
929003547502	CorePro LEDtube 1500mm 20W 865 T8	20 kWh
929003547562	CorePro LEDtube 1500mm 20W 865 T8 CL	20 kWh
929003577132	CorePro LEDtube 600mm 8W 830 T8	8 kWh
929003577232	CorePro LEDtube 1200mm 15.5W 830 T8	16 kWh
929003577332	CorePro LEDtube 1500mm 20W 830 T8	20 kWh
929003577402	CorePro LEDtube 600mm HO 8W 830 T8	8 kWh
929003577532	CorePro LEDtube 1200mm HO 18W 830 T8	18 kWh
929003577632	CorePro LEDtube 1500mm HO 24W 830 T8	24 kWh
929003577702	CorePro LEDtube 1200mm UO 21.5W 830 T8	22 kWh
929003577802	CorePro LEDtube 1500mm UO 31.5W 830 T8	32 kWh
929003584702	CorePro LEDtube 1800mm 21W830 T8	21 kWh
929001999772	CorePro LEDtube 1200mm 18W 830 T8C W G	18 kWh
929001999872	CorePro LEDtube 1200mm 18W 840 T8C W G	18 kWh
929001999972	CorePro LEDtube 1200mm 18W 865 T8C W G	18 kWh
929002000072	CorePro LEDtube 1200mm HO 18W840 C W G	18 kWh
929002000172	CorePro LEDtube 1200mm HO 18W865 C W G	18 kWh
929002000272	CorePro LEDtube 8ft 33W 3800lm 865 T8 BR	- kWh
929002000372	CorePro LEDtube 600mm 9W 830 T8C W G	9 kWh
929002000472	CorePro LEDtube 600mm 9W 840 T8 C W G	9 kWh
929002000572	CorePro LEDtube 600mm 9W 865 T8 C W G	9 kWh
929002468108	CorePro Ledtube 1200mm 13.5W 840 T8 G13	14 kWh
929002468208	CorePro Ledtube 1200mm 13.5W 865 T8 G13	14 kWh
929002998802	CorePro LEDtube 1800mm 21W 840 T8	21 kWh
929003561802	CorePro LEDtube 1800mm 21W 865 T8	21 kWh

Operating and electrical

Order Code	Full Product Name	Voltage (Nom)	Power (Nom)	Order Code	Full Product Name	Voltage (Nom)	Power (Nom)
929001337919	CorePro LEDtube 1500mm 22W 840 AU	220-240 V	22 W	929001875002	CorePro LEDtube 1500mm HO 24W	220-240 V	24 W
929001338019	CorePro LEDtube 1500mm 22W 865 AU	220-240 V	22 W		865 T8		
929001338619	CorePro LEDtube 600mm 8.8W840 AU	220-240 V	8.8 W	929001875032	CorePro LEDtube 1500mm HO 24W	220-240 V	24 W
929001338719	CorePro LEDtube 600mm 8.8W865 AU	220-240 V	8.8 W		865 T8		
929001338819	CorePro LEDtube 1200mm 16W840 AU	220-240 V	16 W	929001875102	CorePro LEDtube 1500mm HO 24W	220-240 V	24 W
929001338919	CorePro LEDtube 1200mm 16W865 AU	220-240 V	16 W		840 T8		
929003022302	CorePro LEDtube 1200mm 14.5W840	220-240 V	14.5 W	929001875132	CorePro LEDtube 1500mm HO 24W	220-240 V	24 W
929003022402	CorePro LEDtube 1200mm 14.5W865	220-240 V	14.5 W		840 T8		
929001874802	CorePro LEDtube 1200mm HO 18W 865	220-240 V	18 W	929003022102	CorePro LEDtube 600mm 8W 840 T8	220-240 V	8 W
	T8			929003022202	CorePro LEDtube 600mm 8W 865 T8	220-240 V	8 W
929001874832	CorePro LEDtube 1200mm HO 18W 865	220-240 V	18 W	929003022502	CorePro LEDtube 1500mm 20W 840 T8	220-240 V	20 W
	T8			929003022602	CorePro LEDtube 1500mm 20W 865 T8	220-240 V	20 W
929001874902	CorePro LEDtube 1200mm HO 18W 840	220-240 V	18 W	929003154202	CorePro LEDtube 1200mm UO 21.5W	220-240 V	21.5 W
	T8				840 T8		
929001874932	CorePro LEDtube 1200mm HO 18W 840	220-240 V	18 W	929003154302	CorePro LEDtube 1200mm UO 21.5W	220-240 V	21.5 W
	T8				865 T8		

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Voltage (Nom)	Power (Nom)	Order Code	Full Product Name	Voltage (Nom)	Power (Nom)
929003154402	CorePro LEDtube 1500mm UO 31.5W 840 T8	220-240 V	31.5 W	929003534511	CorePro LEDtube 600mm 8W 865 VWV T8	100-277 V	8 W
929003154502	CorePro LEDtube 1500mm UO 31.5W 865 T8	220-240 V	31.5 W	929003534611	CorePro LEDtube 1200mm 16W 840 VWV T8	100-277 V	16 W
929003158602	CorePro LEDtube 600mm HO 8W 840 T8	220-240 V	8 W	929003534711	CorePro LEDtube 1200mm 16W 865 VWV T8	100-277 V	16 W
929003158702	CorePro LEDtube 600mm HO 8W 865 T8	220-240 V	8 W	929003534811	CorePro LEDtube HO 1200mm 18W840 VWV T8	100-277 V	18 W
929003519702	CorePro LEDtube 1200mm 15.5W 840 T8	220-240 V	15.5 W	929003534911	CorePro LEDtube HO 1200mm 18W865 VWV T8	100-277 V	18 W
929003519732	CorePro LEDtube 1200mm 15.5W 840 T8	220-240 V	15.5 W	929003547202	CorePro LEDtube 600mm 8W 840 T8	220-240 V	8 W
929003519762	CorePro LEDtube 1200mm 15.5W 840 T8 CL	220-240 V	15.5 W	929003547262	CorePro LEDtube 600mm 8W 840 T8 CL	220-240 V	8 W
929003519802	CorePro LEDtube 1200mm 15.5W 865 T8	220-240 V	15.5 W	929003547302	CorePro LEDtube 600mm 8W 865 T8	220-240 V	8 W
929003519832	CorePro LEDtube 1200mm 15.5W 865 T8	220-240 V	15.5 W	929003547362	CorePro LEDtube 600mm 8W 865 T8 CL	220-240 V	8 W
929003519862	CorePro LEDtube 1200mm 15.5W 865 T8 CL	220-240 V	15.5 W	929003547402	CorePro LEDtube 1500mm 20W 840 T8	220-240 V	20 W
929003520108	CorePro LEDtube 600mm 9W 840 T8 AP I	220-240 V	9 W	929003547462	CorePro LEDtube 1500mm 20W 840 T8 CL	220-240 V	20 W
929003520119	CorePro LEDtube 600mm 9.9W 840 T8 AU	220-240 V	9.9 W	929003547502	CorePro LEDtube 1500mm 20W 865 T8	220-240 V	20 W
929003520208	CorePro LEDtube 600mm 9W 865 T8 AP I	220-240 V	9 W	929003547562	CorePro LEDtube 1500mm 20W 865 T8 CL	220-240 V	20 W
929003520219	CorePro LEDtube 600mm 9.9W 865 T8 AU	220-240 V	9.9 W	929003577132	CorePro LEDtube 600mm 8W 830 T8	220-240 V	8 W
929003520308	CorePro LEDtube 1200mm 16W 840 T8 AP I	220-240 V	16 W	929003577232	CorePro LEDtube 1200mm 15.5W 830 T8	220-240 V	15.5 W
929003520319	CorePro LEDtube 1200mm 17.6W 840 T8 AU	220-240 V	17.6 W	929003577332	CorePro LEDtube 1500mm 20W 830 T8	220-240 V	20 W
929003520408	CorePro LEDtube 1200mm 16W 865 T8 AP I	220-240 V	16 W	929003577402	CorePro LEDtube 600mm HO 8W 830 T8	220-240 V	8 W
929003520419	CorePro LEDtube 1200mm 17.6W 865 T8 AU	220-240 V	17.6 W	929003577532	CorePro LEDtube 1200mm HO 18W 830 T8	220-240 V	18 W
929003520437	CorePro LEDtube 1200mm 16W 865 T8 MY	220-240 V	16 W	929003577632	CorePro LEDtube 1500mm HO 24W 830 T8	220-240 V	24 W
929003520508	CorePro LEDtube 1500mm 20W 840 T8 AP I	220-240 V	20 W	929003577702	CorePro LEDtube 1200mm UO 21.5W 830 T8	220-240 V	21.5 W
929003520519	CorePro LEDtube 1500mm 22W 840 T8 AU	220-240 V	22 W	929003577802	CorePro LEDtube 1500mm UO 31.5W 830 T8	220-240 V	31.5 W
929003520608	CorePro LEDtube 1500mm 20W 865 T8 AP I	220-240 V	20 W	929003584702	CorePro LEDtube 1800mm 21W830 T8	220-240 V	21 W
929003520619	CorePro LEDtube 1500mm 22W 865 T8 AU	220-240 V	22 W	929001999772	CorePro LEDtube 1200mm 18W 830 T8C W G	100-240 V	18 W
929003520708	Corepro LEDtube HO 1200mm 18W840T8 AP	220-240 V	18 W	929001999872	CorePro LEDtube 1200mm 18W 840 T8C W G	100-240 V	18 W
929003520808	CorePro LEDtube HO 1200mm 18W865T8 AP	220-240 V	18 W	929001999972	CorePro LEDtube 1200mm 18W 865 T8C W G	100-240 V	18 W
929003534411	CorePro LEDtube 600mm 8W 840 VWV T8	100-277 V	8 W	929002000072	CorePro LEDtube 1200mm HO 18W840 C W G	100-240 V	18 W
				929002000172	CorePro LEDtube 1200mm HO 18W865 C W G	100-240 V	18 W
				929002000272	CorePro LEDtube 8ft 33W 3800lm 865 T8 BR	100-240 V	33 W
				929002000372	CorePro LEDtube 600mm 9W 830 T8C W G	100-240 V	9 W

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Voltage (Nom)	Power (Nom)
929002000472	CorePro LEDtube 600mm 9W 840 T8 C WG	100-240 V	9 W
929002000572	CorePro LEDtube 600mm 9W 865 T8 C WG	100-240 V	9 W
929002468108	CorePro Ledtube 1200mm 13.5W 840 T8 G13	100-240 V	13.5 W

Order Code	Full Product Name	Voltage (Nom)	Power (Nom)
929002468208	CorePro Ledtube 1200mm 13.5W 865 T8 G13	100-240 V	13.5 W
929002998802	CorePro LEDtube 1800mm 21W 840 T8	220-240 V	21 W
929003561802	CorePro LEDtube 1800mm 21W 865 T8	220-240 V	21 W

General information

Order Code	Full Product Name	Nominal Lifetime (Nom)	Switching Cycle
929001337919	CorePro LEDtube 1500mm 22W 840 AU	30000 h	200000
929001338019	CorePro LEDtube 1500mm 22W 865 AU	30000 h	200000
929001338619	CorePro LEDtube 600mm 8.8W840 AU	30000 h	200000
929001338719	CorePro LEDtube 600mm 8.8W865 AU	30000 h	200000
929001338819	CorePro LEDtube 1200mm 16W840 AU	30000 h	200000
929001338919	CorePro LEDtube 1200mm 16W865 AU	30000 h	200000
929003022302	CorePro LEDtube 1200mm 14.5W840	30000 h	200000
929003022402	CorePro LEDtube 1200mm 14.5W865	30000 h	200000
929001874802	CorePro LEDtube 1200mm HO 18W 865 T8	30000 h	200000X
929001874832	CorePro LEDtube 1200mm HO 18W 865 T8	30000 h	200000X
929001874902	CorePro LEDtube 1200mm HO 18W 840 T8	30000 h	200000X
929001874932	CorePro LEDtube 1200mm HO 18W 840 T8	30000 h	200000X
929001875002	CorePro LEDtube 1500mm HO 24W 865 T8	30000 h	200000X
929001875032	CorePro LEDtube 1500mm HO 24W 865 T8	30000 h	200000X
929001875102	CorePro LEDtube 1500mm HO 24W 840 T8	30000 h	200000X
929001875132	CorePro LEDtube 1500mm HO 24W 840 T8	30000 h	200000X
929003022102	CorePro LEDtube 600mm 8W 840 T8	30000 h	200000X
929003022202	CorePro LEDtube 600mm 8W 865 T8	30000 h	200000X
929003022502	CorePro LEDtube 1500mm 20W 840 T8	30000 h	200000X
929003022602	CorePro LEDtube 1500mm 20W 865 T8	30000 h	200000X
929003154202	CorePro LEDtube 1200mm UO 21.5W 840 T8	30000 h	200000X
929003154302	CorePro LEDtube 1200mm UO 21.5W 865 T8	30000 h	200000X

Order Code	Full Product Name	Nominal Lifetime (Nom)	Switching Cycle
929003154402	CorePro LEDtube 1500mm UO 31.5W 840 T8	30000 h	200000X
929003154502	CorePro LEDtube 1500mm UO 31.5W 865 T8	30000 h	200000X
929003158602	CorePro LEDtube 600mm HO 8W 840 T8	30000 h	200000X
929003158702	CorePro LEDtube 600mm HO 8W 865 T8	30000 h	200000X
929003519702	CorePro LEDtube 1200mm 15.5W 840 T8	30000 h	200000X
929003519732	CorePro LEDtube 1200mm 15.5W 840 T8	30000 h	200000X
929003519762	CorePro LEDtube 1200mm 15.5W 840 T8 CL	30000 h	200000X
929003519802	CorePro LEDtube 1200mm 15.5W 865 T8	30000 h	200000X
929003519832	CorePro LEDtube 1200mm 15.5W 865 T8	30000 h	200000X
929003519862	CorePro LEDtube 1200mm 15.5W 865 T8 CL	30000 h	200000X
929003520108	CorePro LEDtube 600mm 9W 840 T8 AP I	30000 h	200000
929003520119	CorePro LEDtube 600mm 9.9W 840 T8 AU	30000 h	200000
929003520208	CorePro LEDtube 600mm 9W 865 T8 AP I	30000 h	200000
929003520219	CorePro LEDtube 600mm 9.9W 865 T8 AU	30000 h	200000
929003520308	CorePro LEDtube 1200mm 16W 840 T8 AP I	30000 h	200000
929003520319	CorePro LEDtube 1200mm 17.6W 840 T8 AU	30000 h	200000
929003520408	CorePro LEDtube 1200mm 16W 865 T8 AP I	30000 h	200000
929003520419	CorePro LEDtube 1200mm 17.6W 865 T8 AU	30000 h	200000
929003520437	CorePro LEDtube 1200mm 16W 865 T8 MY	30000 h	200000
929003520508	CorePro LEDtube 1500mm 20W 840 T8 AP I	30000 h	200000

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Nominal Lifetime (Nom)	Switching Cycle
929003520519	CorePro LEDtube 1500mm 22W 840 T8 AU	30000 h	200000
929003520608	CorePro LEDtube 1500mm 20W 865 T8 AP I	30000 h	200000
929003520619	CorePro LEDtube 1500mm 22W 865 T8 AU	30000 h	200000
929003520708	Corepro LEDtube HO 1200mm 18W840T8 AP	30000 h	200000
929003520808	CorePro LEDtube HO 1200mm 18W865T8 AP	30000 h	200000
929003534411	CorePro LEDtube 600mm 8W 840 VWV T8	30000 h	200000X
929003534511	CorePro LEDtube 600mm 8W 865 VWV T8	30000 h	200000X
929003534611	CorePro LEDtube 1200mm 16W 840 VWV T8	30000 h	200000X
929003534711	CorePro LEDtube 1200mm 16W 865 VWV T8	30000 h	200000X
929003534811	CorePro LEDtube HO 1200mm 18W840 VWV T8	30000 h	200000X
929003534911	CorePro LEDtube HO 1200mm 18W865 VWV T8	30000 h	200000X
929003547202	CorePro LEDtube 600mm 8W 840 T8	30000 h	200000X
929003547262	CorePro LEDtube 600mm 8W 840 T8 CL	30000 h	200000X
929003547302	CorePro LEDtube 600mm 8W 865 T8	30000 h	200000X
929003547362	CorePro LEDtube 600mm 8W 865 T8 CL	30000 h	200000X
929003547402	CorePro LEDtube 1500mm 20W 840 T8	30000 h	200000X
929003547462	CorePro LEDtube 1500mm 20W 840 T8 CL	30000 h	200000X
929003547502	CorePro LEDtube 1500mm 20W 865 T8	30000 h	200000X
929003547562	CorePro LEDtube 1500mm 20W 865 T8 CL	30000 h	200000X
929003577132	CorePro LEDtube 600mm 8W 830 T8	30000 h	200000X
929003577232	CorePro LEDtube 1200mm 15.5W 830 T8	30000 h	200000X

Order Code	Full Product Name	Nominal Lifetime (Nom)	Switching Cycle
929003577332	CorePro LEDtube 1500mm 20W 830 T8	30000 h	200000X
929003577402	CorePro LEDtube 600mm HO 8W 830 T8	30000 h	200000X
929003577532	CorePro LEDtube 1200mm HO 18W 830 T8	30000 h	200000X
929003577632	CorePro LEDtube 1500mm HO 24W 830 T8	30000 h	200000X
929003577702	CorePro LEDtube 1200mm UO 21.5W 830 T8	30000 h	200000X
929003577802	CorePro LEDtube 1500mm UO 31.5W 830 T8	30000 h	200000X
929003584702	CorePro LEDtube 1800mm 21W830 T8	30000 h	200000X
929001999772	CorePro LEDtube 1200mm 18W 830 T8C W G	25000 h	50000
929001999872	CorePro LEDtube 1200mm 18W 840 T8C W G	25000 h	50000
929001999972	CorePro LEDtube 1200mm 18W 865 T8C W G	25000 h	50000
929002000072	CorePro LEDtube 1200mm HO 18W840 C W G	25000 h	50000
929002000172	CorePro LEDtube 1200mm HO 18W865 C W G	25000 h	50000
929002000272	CorePro LEDtube 8ft 33W 3800lm 865 T8 BR	25000 h	50000
929002000372	CorePro LEDtube 600mm 9W 830 T8C W G	25000 h	50000
929002000472	CorePro LEDtube 600mm 9W 840 T8 C W G	25000 h	50000
929002000572	CorePro LEDtube 600mm 9W 865 T8 C W G	25000 h	50000
929002468108	CorePro Ledtube 1200mm 13.5W 840 T8 G13	30000 h	200000
929002468208	CorePro Ledtube 1200mm 13.5W 865 T8 G13	30000 h	200000
929002998802	CorePro LEDtube 1800mm 21W 840 T8	30000 h	200000
929003561802	CorePro LEDtube 1800mm 21W 865 T8	30000 h	200000X

Light technical

Order Code	Full Product Name	Beam	Correlated Color		Luminous Flux (Nom)
		Angle (Nom)	Color Code	Temperature (Nom)	
929001337919	CorePro LEDtube 1500mm 22W 840 AU	240 °	840	4000 K	2200 lm

Order Code	Full Product Name	Beam	Correlated Color		Luminous Flux (Nom)
		Angle (Nom)	Color Code	Temperature (Nom)	
929001338019	CorePro LEDtube 1500mm 22W 865 AU	240 °	865	6500 K	2200 lm

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Luminous Flux (Nom)
			Color Code	Temperature (Nom)	
929001338619	CorePro LEDtube 600mm 8.8W840 AU	240 °	840	4000 K	800 lm
929001338719	CorePro LEDtube 600mm 8.8W865 AU	240 °	865	6500 K	800 lm
929001338819	CorePro LEDtube 1200mm 16W840 AU	240 °	840	4000 K	1600 lm
929001338919	CorePro LEDtube 1200mm 16W865 AU	240 °	865	6500 K	1600 lm
929003022302	CorePro LEDtube 1200mm 14.5W840	240 °	840	4000 K	1600 lm
929003022402	CorePro LEDtube 1200mm 14.5W865	240 °	865	6500 K	1600 lm
929001874802	CorePro LEDtube 1200mm HO 18W 865 T8	240 °	865	6500 K	2000 lm
929001874832	CorePro LEDtube 1200mm HO 18W 865 T8	240 °	865	6500 K	2000 lm
929001874902	CorePro LEDtube 1200mm HO 18W 840 T8	240 °	840	4000 K	2000 lm
929001874932	CorePro LEDtube 1200mm HO 18W 840 T8	240 °	840	4000 K	2000 lm
929001875002	CorePro LEDtube 1500mm HO 24W 865 T8	240 °	865	6500 K	2700 lm
929001875032	CorePro LEDtube 1500mm HO 24W 865 T8	240 °	865	6500 K	2700 lm
929001875102	CorePro LEDtube 1500mm HO 24W 840 T8	240 °	840	4000 K	2700 lm
929001875132	CorePro LEDtube 1500mm HO 24W 840 T8	240 °	840	4000 K	2700 lm
929003022102	CorePro LEDtube 600mm 8W 840 T8	240 °	840	4000 K	800 lm
929003022202	CorePro LEDtube 600mm 8W 865 T8	240 °	865	6500 K	800 lm
929003022502	CorePro LEDtube 1500mm 20W 840 T8	240 °	840	4000 K	2200 lm

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Luminous Flux (Nom)
			Color Code	Temperature (Nom)	
929003022602	CorePro LEDtube 1500mm 20W 865 T8	240 °	865	6500 K	2200 lm
929003154202	CorePro LEDtube 1200mm UO 21.5W 840 T8	240 °	840	4000 K	2400 lm
929003154302	CorePro LEDtube 1200mm UO 21.5W 865 T8	240 °	865	6500 K	2400 lm
929003154402	CorePro LEDtube 1500mm UO 31.5W 840 T8	240 °	840	4000 K	3500 lm
929003154502	CorePro LEDtube 1500mm UO 31.5W 865 T8	240 °	865	6500 K	3500 lm
929003158602	CorePro LEDtube 600mm HO 8W 840 T8	240 °	840	4000 K	900 lm
929003158702	CorePro LEDtube 600mm HO 8W 865 T8	240 °	865	6500 K	900 lm
929003519702	CorePro LEDtube 1200mm 15.5W 840 T8	240 °	840	4000 K	1800 lm
929003519732	CorePro LEDtube 1200mm 15.5W 840 T8	240 °	840	4000 K	1800 lm
929003519762	CorePro LEDtube 1200mm 15.5W 840 T8 CL	240 °	840	4000 K	1800 lm
929003519802	CorePro LEDtube 1200mm 15.5W 865 T8	240 °	865	6500 K	1800 lm
929003519832	CorePro LEDtube 1200mm 15.5W 865 T8	240 °	865	6500 K	1800 lm
929003519862	CorePro LEDtube 1200mm 15.5W 865 T8 CL	240 °	865	6500 K	1800 lm
929003520108	CorePro LEDtube 600mm 9W 840 T8 AP I	240 °	840	4000 K	900 lm
929003520119	CorePro LEDtube 600mm 9.9W 840 T8 AU	240 °	840	4000 K	900 lm
929003520208	CorePro LEDtube 600mm 9W 865 T8 AP I	240 °	865	6500 K	900 lm

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Luminous Flux (Nom)
			Color Code	Temperature (Nom)	
929003520219	CorePro LEDtube 600mm 9.9W 865 T8 AU	240 °	865	6500 K	900 lm
929003520308	CorePro LEDtube 1200mm 16W 840 T8 AP I	240 °	840	4000 K	1800 lm
929003520319	CorePro LEDtube 1200mm 17.6W 840 T8 AU	240 °	840	4000 K	1800 lm
929003520408	CorePro LEDtube 1200mm 16W 865 T8 AP I	240 °	865	6500 K	1800 lm
929003520419	CorePro LEDtube 1200mm 17.6W 865 T8 AU	240 °	865	6500 K	1800 lm
929003520437	CorePro LEDtube 1200mm 16W 865 T8 MY	240 °	865	6500 K	1800 lm
929003520508	CorePro LEDtube 1500mm 20W 840 T8 AP I	240 °	840	4000 K	2200 lm
929003520519	CorePro LEDtube 1500mm 22W 840 T8 AU	240 °	840	4000 K	2200 lm
929003520608	CorePro LEDtube 1500mm 20W 865 T8 AP I	240 °	865	6500 K	2200 lm
929003520619	CorePro LEDtube 1500mm 22W 865 T8 AU	240 °	865	6500 K	2200 lm
929003520708	Corepro LEDtube HO 1200mm 18W840T8 AP	240 °	840	4000 K	2100 lm
929003520808	CorePro LEDtube HO 1200mm 18W865T8 AP	240 °	865	6500 K	2100 lm
929003534411	CorePro LEDtube 600mm 8W 840 VWV T8	240 °	840	4000 K	800 lm
929003534511	CorePro LEDtube 600mm 8W 865 VWV T8	240 °	865	6500 K	800 lm
929003534611	CorePro LEDtube 1200mm 16W 840 VWV T8	240 °	840	4000 K	1600 lm
929003534711	CorePro LEDtube 1200mm 16W 865 VWV T8	240 °	865	6500 K	1600 lm

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Luminous Flux (Nom)
			Color Code	Temperature (Nom)	
929003534811	CorePro LEDtube HO 1200mm 18W840 VWV T8	240 °	840	4000 K	2100 lm
929003534911	CorePro LEDtube HO 1200mm 18W865 VWV T8	240 °	865	6500 K	2100 lm
929003547202	CorePro LEDtube 600mm 8W 840 T8	240 °	840	4000 K	800 lm
929003547262	CorePro LEDtube 600mm 8W 840 T8 CL	240 °	840	4000 K	800 lm
929003547302	CorePro LEDtube 600mm 8W 865 T8	240 °	865	6500 K	800 lm
929003547362	CorePro LEDtube 600mm 8W 865 T8 CL	240 °	865	6500 K	800 lm
929003547402	CorePro LEDtube 1500mm 20W 840 T8	240 °	840	4000 K	2200 lm
929003547462	CorePro LEDtube 1500mm 20W 840 T8 CL	240 °	840	4000 K	2200 lm
929003547502	CorePro LEDtube 1500mm 20W 865 T8	240 °	865	6500 K	2200 lm
929003547562	CorePro LEDtube 1500mm 20W 865 T8 CL	240 °	865	6500 K	2200 lm
929003577132	CorePro LEDtube 600mm 8W 830 T8	240 °	830	3000 K	750 lm
929003577232	CorePro LEDtube 1200mm 15.5W 830 T8	240 °	830	3000 K	1700 lm
929003577332	CorePro LEDtube 1500mm 20W 830 T8	240 °	830	3000 K	2050 lm
929003577402	CorePro LEDtube 600mm HO 8W 830 T8	240 °	830	3000 K	850 lm
929003577532	CorePro LEDtube 1200mm HO 18W 830 T8	240 °	830	3000 K	1850 lm
929003577632	CorePro LEDtube 1500mm HO 24W 830 T8	240 °	830	3000 K	2500 lm
929003577702	CorePro LEDtube 1200mm UO 21.5W 830 T8	240 °	830	3000 K	2250 lm

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color			Luminous Flux (Nom)
			Color Code	Temperature (Nom)		
929003577802	CorePro LEDtube 1500mm UO 31.5W 830 T8	240 °	830	3000 K		3320 lm
929003584702	CorePro LEDtube 1800mm 21W830 T8	160 °	830	3000 K		2900 lm
929001999772	CorePro LEDtube 1200mm 18W 830 T8 C W G	240 °	830	3000 K		1850 lm
929001999872	CorePro LEDtube 1200mm 18W 840 T8 C W G	240 °	840	4000 K		1850 lm
929001999972	CorePro LEDtube 1200mm 18W 865 T8 C W G	240 °	865	6500 K		1850 lm
929002000072	CorePro LEDtube 1200mm HO 18W840 C W G	240 °	840	4000 K		2100 lm
929002000172	CorePro LEDtube 1200mm HO 18W865 C W G	240 °	865	6500 K		2100 lm
929002000272	CorePro LEDtube 8ft 33W 3800lm 865 T8 BR	240 °	865	6500 K		3800 lm

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color			Luminous Flux (Nom)
			Color Code	Temperature (Nom)		
929002000372	CorePro LEDtube 600mm 9W 830 T8 C W G	240 °	830	3000 K		900 lm
929002000472	CorePro LEDtube 600mm 9W 840 T8 C W G	240 °	840	4000 K		900 lm
929002000572	CorePro LEDtube 600mm 9W 865 T8 C W G	240 °	865	6500 K		900 lm
929002468108	CorePro Ledtube 1200mm 13.5W 840 T8 G13	240 °	840	4000 K		1800 lm
929002468208	CorePro Ledtube 1200mm 13.5W 865 T8 G13	240 °	865	6500 K		1800 lm
929002998802	CorePro LEDtube 1800mm 21W 840 T8	160 °	840	4000 K		3100 lm
929003561802	CorePro LEDtube 1800mm 21W 865 T8	160 °	865	6500 K		3100 lm

Mechanical and housing

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001337919	CorePro LEDtube 1500mm 22W 840 AU	Frosted	Tube, single-ended
929001338019	CorePro LEDtube 1500mm 22W 865 AU	Frosted	Tube, single-ended
929001338619	CorePro LEDtube 600mm 8.8W840 AU	Frosted	Tube, single-ended
929001338719	CorePro LEDtube 600mm 8.8W865 AU	Frosted	Tube, single-ended
929001338819	CorePro LEDtube 1200mm 16W840 AU	Frosted	Tube, single-ended
929001338919	CorePro LEDtube 1200mm 16W865 AU	Frosted	Tube, single-ended
929003022302	CorePro LEDtube 1200mm 14.5W840	Frosted	Tube, double-ended
929003022402	CorePro LEDtube 1200mm 14.5W865	Frosted	Tube, double-ended
929001874802	CorePro LEDtube 1200mm HO 18W 865 T8	Frosted	Tube, double-ended
929001874832	CorePro LEDtube 1200mm HO 18W 865 T8	Frosted	Tube, double-ended

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001874902	CorePro LEDtube 1200mm HO 18W 840 T8	Frosted	Tube, double-ended
929001874932	CorePro LEDtube 1200mm HO 18W 840 T8	Frosted	Tube, double-ended
929001875002	CorePro LEDtube 1500mm HO 24W 865 T8	Frosted	Tube, double-ended
929001875032	CorePro LEDtube 1500mm HO 24W 865 T8	Frosted	Tube, double-ended
929001875102	CorePro LEDtube 1500mm HO 24W 840 T8	Frosted	Tube, double-ended
929001875132	CorePro LEDtube 1500mm HO 24W 840 T8	Frosted	Tube, double-ended
929003022102	CorePro LEDtube 600mm 8W 840 T8	Frosted	Tube, double-ended
929003022202	CorePro LEDtube 600mm 8W 865 T8	Frosted	Tube, double-ended
929003022502	CorePro LEDtube 1500mm 20W 840 T8	Frosted	Tube, double-ended
929003022602	CorePro LEDtube 1500mm 20W 865 T8	Frosted	Tube, double-ended

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929003154202	CorePro LEDtube 1200mm UO 21.5W 840 T8	Frosted	Tube, double-ended
929003154302	CorePro LEDtube 1200mm UO 21.5W 865 T8	Frosted	Tube, double-ended
929003154402	CorePro LEDtube 1500mm UO 31.5W 840 T8	Frosted	Tube, double-ended
929003154502	CorePro LEDtube 1500mm UO 31.5W 865 T8	Frosted	Tube, double-ended
929003158602	CorePro LEDtube 600mm HO 8W 840 T8	Frosted	Tube, double-ended
929003158702	CorePro LEDtube 600mm HO 8W 865 T8	Frosted	Tube, double-ended
929003519702	CorePro LEDtube 1200mm 15.5W 840 T8	Frosted	Tube, double-ended
929003519732	CorePro LEDtube 1200mm 15.5W 840 T8	Frosted	Tube, double-ended
929003519762	CorePro LEDtube 1200mm 15.5W 840 T8 CL	Frosted	Tube, double-ended
929003519802	CorePro LEDtube 1200mm 15.5W 865 T8	Frosted	Tube, double-ended
929003519832	CorePro LEDtube 1200mm 15.5W 865 T8	Frosted	Tube, double-ended
929003519862	CorePro LEDtube 1200mm 15.5W 865 T8 CL	Frosted	Tube, double-ended
929003520108	CorePro LEDtube 600mm 9W 840 T8 AP I	Frosted	Tube, double-ended
929003520119	CorePro LEDtube 600mm 9.9W 840 T8 AU	Frosted	Tube, double-ended
929003520208	CorePro LEDtube 600mm 9W 865 T8 AP I	Frosted	Tube, double-ended
929003520219	CorePro LEDtube 600mm 9.9W 865 T8 AU	Frosted	Tube, double-ended
929003520308	CorePro LEDtube 1200mm 16W 840 T8 AP I	Frosted	Tube, double-ended
929003520319	CorePro LEDtube 1200mm 17.6W 840 T8 AU	Frosted	Tube, double-ended
929003520408	CorePro LEDtube 1200mm 16W 865 T8 AP I	Frosted	Tube, double-ended
929003520419	CorePro LEDtube 1200mm 17.6W 865 T8 AU	Frosted	Tube, double-ended
929003520437	CorePro LEDtube 1200mm 16W 865 T8 MY	Frosted	Tube, double-ended
929003520508	CorePro LEDtube 1500mm 20W 840 T8 AP I	Frosted	Tube, double-ended
929003520519	CorePro LEDtube 1500mm 22W 840 T8 AU	Frosted	Tube, double-ended
929003520608	CorePro LEDtube 1500mm 20W 865 T8 AP I	Frosted	Tube, double-ended
929003520619	CorePro LEDtube 1500mm 22W 865 T8 AU	Frosted	Tube, double-ended
929003520708	Corepro LEDtube HO 1200mm 18W840T8 AP	Frosted	Tube, double-ended

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929003520808	CorePro LEDtube HO 1200mm 18W865T8 AP	Frosted	Tube, double-ended
929003534411	CorePro LEDtube 600mm 8W 840 VWV T8	Frosted	Tube, double-ended
929003534511	CorePro LEDtube 600mm 8W 865 VWV T8	Frosted	Tube, double-ended
929003534611	CorePro LEDtube 1200mm 16W 840 VWV T8	Frosted	Tube, double-ended
929003534711	CorePro LEDtube 1200mm 16W 865 VWV T8	Frosted	Tube, double-ended
929003534811	CorePro LEDtube HO 1200mm 18W840 VWV T8	Frosted	Tube, double-ended
929003534911	CorePro LEDtube HO 1200mm 18W865 VWV T8	Frosted	Tube, double-ended
929003547202	CorePro LEDtube 600mm 8W 840 T8	Frosted	Tube, double-ended
929003547262	CorePro LEDtube 600mm 8W 840 T8 CL	Frosted	Tube, double-ended
929003547302	CorePro LEDtube 600mm 8W 865 T8	Frosted	Tube, double-ended
929003547362	CorePro LEDtube 600mm 8W 865 T8 CL	Frosted	Tube, double-ended
929003547402	CorePro LEDtube 1500mm 20W 840 T8	Frosted	Tube, double-ended
929003547462	CorePro LEDtube 1500mm 20W 840 T8 CL	Frosted	Tube, double-ended
929003547502	CorePro LEDtube 1500mm 20W 865 T8	Frosted	Tube, double-ended
929003547562	CorePro LEDtube 1500mm 20W 865 T8 CL	Frosted	Tube, double-ended
929003577132	CorePro LEDtube 600mm 8W 830 T8	Frosted	Tube, double-ended
929003577232	CorePro LEDtube 1200mm 15.5W 830 T8	Frosted	Tube, double-ended
929003577332	CorePro LEDtube 1500mm 20W 830 T8	Frosted	Tube, double-ended
929003577402	CorePro LEDtube 600mm HO 8W 830 T8	Frosted	Tube, double-ended
929003577532	CorePro LEDtube 1200mm HO 18W 830 T8	Frosted	Tube, double-ended
929003577632	CorePro LEDtube 1500mm HO 24W 830 T8	Frosted	Tube, double-ended
929003577702	CorePro LEDtube 1200mm UO 21.5W 830 T8	Frosted	Tube, double-ended
929003577802	CorePro LEDtube 1500mm UO 31.5W 830 T8	Frosted	Tube, double-ended
929003584702	CorePro LEDtube 1800mm 21W830 T8	Frosted	Tube, double-ended
929001999772	CorePro LEDtube 1200mm 18W 830 T8C W G	-	Tube, single-ended
929001999872	CorePro LEDtube 1200mm 18W 840 T8C W G	-	Tube, single-ended

CorePro LEDtube EM/Mains T8

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001999972	CorePro LEDtube 1200mm 18W 865 T8 C W G	-	Tube, single-ended
929002000072	CorePro LEDtube 1200mm HO 18W840 C W G	-	Tube, single-ended
929002000172	CorePro LEDtube 1200mm HO 18W865 C W G	-	Tube, single-ended
929002000272	CorePro LEDtube 8ft 33W 3800lm 865 T8 BR	-	Tube, double-ended
929002000372	CorePro LEDtube 600mm 9W 830 T8 C W G	-	Tube, single-ended
929002000472	CorePro LEDtube 600mm 9W 840 T8 C W G	-	Tube, single-ended

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929002000572	CorePro LEDtube 600mm 9W 865 T8 C W G	-	Tube, single-ended
929002468108	CorePro Ledtube 1200mm 13.5W 840 T8 G13	Frosted	Tube, single-ended
929002468208	CorePro Ledtube 1200mm 13.5W 865 T8 G13	Frosted	Tube, single-ended
929002998802	CorePro LEDtube 1800mm 21W 840 T8	Frosted	Tube, double-ended
929003561802	CorePro LEDtube 1800mm 21W 865 T8	Frosted	Tube, double-ended

Temperature

Order Code	Full Product Name	T-Case Maximum (Nom)	T-Storage (Max)
929001337919	CorePro LEDtube 1500mm 22W 840 AU	45 °C	65 °C
929001338019	CorePro LEDtube 1500mm 22W 865 AU	45 °C	65 °C
929001338619	CorePro LEDtube 600mm 8.8W840 AU	40 °C	65 °C
929001338719	CorePro LEDtube 600mm 8.8W865 AU	40 °C	65 °C
929001338819	CorePro LEDtube 1200mm 16W840 AU	40 °C	65 °C
929001338919	CorePro LEDtube 1200mm 16W865 AU	40 °C	65 °C
929003022302	CorePro LEDtube 1200mm 14.5W840	40 °C	65 °C
929003022402	CorePro LEDtube 1200mm 14.5W865	40 °C	65 °C
929001874802	CorePro LEDtube 1200mm HO 18W 865 T8	50 °C	65 °C
929001874832	CorePro LEDtube 1200mm HO 18W 865 T8	50 °C	65 °C
929001874902	CorePro LEDtube 1200mm HO 18W 840 T8	50 °C	65 °C
929001874932	CorePro LEDtube 1200mm HO 18W 840 T8	50 °C	65 °C
929001875002	CorePro LEDtube 1500mm HO 24W 865 T8	55 °C	65 °C
929001875032	CorePro LEDtube 1500mm HO 24W 865 T8	55 °C	65 °C
929001875102	CorePro LEDtube 1500mm HO 24W 840 T8	55 °C	65 °C
929001875132	CorePro LEDtube 1500mm HO 24W 840 T8	55 °C	65 °C
929003022102	CorePro LEDtube 600mm 8W 840 T8	50 °C	65 °C


Order Code	Full Product Name	T-Case Maximum (Nom)	T-Storage (Max)
929003022202	CorePro LEDtube 600mm 8W 865 T8	50 °C	65 °C
929003022502	CorePro LEDtube 1500mm 20W 840 T8	60 °C	65 °C
929003022602	CorePro LEDtube 1500mm 20W 865 T8	60 °C	65 °C
929003154202	CorePro LEDtube 1200mm UO 21.5W 840 T8	53 °C	65 °C
929003154302	CorePro LEDtube 1200mm UO 21.5W 865 T8	53 °C	65 °C
929003154402	CorePro LEDtube 1500mm UO 31.5W 840 T8	58 °C	65 °C
929003154502	CorePro LEDtube 1500mm UO 31.5W 865 T8	58 °C	65 °C
929003158602	CorePro LEDtube 600mm HO 8W 840 T8	45 °C	65 °C
929003158702	CorePro LEDtube 600mm HO 8W 865 T8	45 °C	65 °C
929003519702	CorePro LEDtube 1200mm 15.5W 840 T8	50 °C	65 °C
929003519732	CorePro LEDtube 1200mm 15.5W 840 T8	50 °C	65 °C
929003519762	CorePro LEDtube 1200mm 15.5W 840 T8 CL	50 °C	65 °C
929003519802	CorePro LEDtube 1200mm 15.5W 865 T8	50 °C	65 °C
929003519832	CorePro LEDtube 1200mm 15.5W 865 T8	50 °C	65 °C
929003519862	CorePro LEDtube 1200mm 15.5W 865 T8 CL	50 °C	65 °C
929003520108	CorePro LEDtube 600mm 9W 840 T8 AP I	45 °C	65 °C
929003520119	CorePro LEDtube 600mm 9.9W 840 T8 AU	45 °C	65 °C

CorePro LEDtube EM/Mains T8


Order Code	Full Product Name	T-Case Maximum (Nom)	T-Storage (Max)
929003520208	CorePro LEDtube 600mm 9W 865 T8 AP I	45 °C	65 °C
929003520219	CorePro LEDtube 600mm 9.9W 865 T8 AU	45 °C	65 °C
929003520308	CorePro LEDtube 1200mm 16W 840 T8 AP I	50 °C	65 °C
929003520319	CorePro LEDtube 1200mm 17.6W 840 T8 AU	50 °C	65 °C
929003520408	CorePro LEDtube 1200mm 16W 865 T8 AP I	50 °C	65 °C
929003520419	CorePro LEDtube 1200mm 17.6W 865 T8 AU	50 °C	65 °C
929003520437	CorePro LEDtube 1200mm 16W 865 T8 MY	50 °C	65 °C
929003520508	CorePro LEDtube 1500mm 20W 840 T8 AP I	50 °C	65 °C
929003520519	CorePro LEDtube 1500mm 22W 840 T8 AU	50 °C	65 °C
929003520608	CorePro LEDtube 1500mm 20W 865 T8 AP I	50 °C	65 °C
929003520619	CorePro LEDtube 1500mm 22W 865 T8 AU	50 °C	65 °C
929003520708	Corepro LEDtube HO 1200mm 18W840T8 AP	50 °C	65 °C
929003520808	CorePro LEDtube HO 1200mm 18W865T8 AP	50 °C	65 °C
929003534411	CorePro LEDtube 600mm 8W 840 VWV T8	50 °C	65 °C
929003534511	CorePro LEDtube 600mm 8W 865 VWV T8	50 °C	65 °C
929003534611	CorePro LEDtube 1200mm 16W 840 VWV T8	60 °C	65 °C
929003534711	CorePro LEDtube 1200mm 16W 865 VWV T8	60 °C	65 °C
929003534811	CorePro LEDtube HO 1200mm 18W840 VWV T8	60 °C	65 °C
929003534911	CorePro LEDtube HO 1200mm 18W865 VWV T8	60 °C	65 °C
929003547202	CorePro LEDtube 600mm 8W 840 T8	50 °C	65 °C
929003547262	CorePro LEDtube 600mm 8W 840 T8 CL	50 °C	65 °C
929003547302	CorePro LEDtube 600mm 8W 865 T8	50 °C	65 °C
929003547362	CorePro LEDtube 600mm 8W 865 T8 CL	50 °C	65 °C
929003547402	CorePro LEDtube 1500mm 20W 840 T8	60 °C	65 °C
929003547462	CorePro LEDtube 1500mm 20W 840 T8 CL	60 °C	65 °C

Order Code	Full Product Name	T-Case Maximum (Nom)	T-Storage (Max)
929003547502	CorePro LEDtube 1500mm 20W 865 T8	60 °C	65 °C
929003547562	CorePro LEDtube 1500mm 20W 865 T8 CL	60 °C	65 °C
929003577132	CorePro LEDtube 600mm 8W 830 T8	50 °C	65 °C
929003577232	CorePro LEDtube 1200mm 15.5W 830 T8	50 °C	65 °C
929003577332	CorePro LEDtube 1500mm 20W 830 T8	60 °C	65 °C
929003577402	CorePro LEDtube 600mm HO 8W 830 T8	45 °C	65 °C
929003577532	CorePro LEDtube 1200mm HO 18W 830 T8	50 °C	65 °C
929003577632	CorePro LEDtube 1500mm HO 24W 830 T8	55 °C	65 °C
929003577702	CorePro LEDtube 1200mm UO 21.5W 830 T8	53 °C	65 °C
929003577802	CorePro LEDtube 1500mm UO 31.5W 830 T8	58 °C	65 °C
929003584702	CorePro LEDtube 1800mm 21W830 T8	60 °C	65 °C
929001999772	CorePro LEDtube 1200mm 18W 830 T8C W G	65 °C	65 °C
929001999872	CorePro LEDtube 1200mm 18W 840 T8C W G	65 °C	65 °C
929001999972	CorePro LEDtube 1200mm 18W 865 T8C W G	65 °C	65 °C
929002000072	CorePro LEDtube 1200mm HO 18W840 C W G	65 °C	65 °C
929002000172	CorePro LEDtube 1200mm HO 18W865 C W G	65 °C	65 °C
929002000272	CorePro LEDtube 8ft 33W 3800lm 865 T8 BR	50 °C	60 °C
929002000372	CorePro LEDtube 600mm 9W 830 T8C W G	65 °C	65 °C
929002000472	CorePro LEDtube 600mm 9W 840 T8 C W G	65 °C	65 °C
929002000572	CorePro LEDtube 600mm 9W 865 T8 C W G	65 °C	65 °C
929002468108	CorePro Ledtube 1200mm 13.5W 840 T8 G13	60 °C	65 °C
929002468208	CorePro Ledtube 1200mm 13.5W 865 T8 G13	60 °C	65 °C
929002998802	CorePro LEDtube 1800mm 21W 840 T8	60 °C	65 °C
929003561802	CorePro LEDtube 1800mm 21W 865 T8	60 °C	65 °C


CorePro LEDtube EM/Mains T8




0-180° 90-270°
150° 180° 150°




0-180° 90-270°
150° 180° 150°




0-180° 90-270°
150° 180° 150°




0-180° 90-270°
150° 180° 150°




0-180° 90-270°




0-180° 90-270°
150° 180° 150°




0-180° 90-270°
150° 180° 150°



0-180° 90-270°
150° 180° 150°








0-180° 90-270°
150° 180° 150°








0-180° 90-270°

CorePro LEDtube EM/Mains T8













(cd/1000lm) 0° 150° 0-180° 180° 90-270° 150°













(cd/1000lm) 0° 150° 0-180° 180° 90-270° 150°











CorePro LEDtube EM/Mains T8



CorePro LEDtube EM/Mains T8



CorePro LEDtube EM/Mains T8



CorePro LEDtube EM/Mains T8

