



SWEDISH TYPE APPROVAL 1398 WITH DECISION ON PRODUCTION CONTROL

KEYWORD: TAP WATER
Sanitary Tapware

BBR 6:62

Holder: Hansgrohe SE

Auestrasse 5-9, 77761 Schiltach, Germany

Tel: +49 7836 51-0

E-mail: info@hansgrohe.se Webb: <http://www.hansgrohe.com>

Product: Pillar taps and shut off units

Pillar taps and shut off units in brass (EN 200) equipped with type approved flexible hoses. Approved products are listed in Annex 1 of this Type Approval.

Intended use

Pillar taps and shut off units for hot and/or cold tap water.

Approval

Products, made and installed according to associated documents, are approved with respect to the following sections of the Swedish *Boverket's building regulations* (BBR):

Building products with assessed properties	1:4
Tap water installations (paragraph 2)	6:62*
Tap water flow (1 st sentence)	6:623
Design (paragraph 1 and 4)	6:625

* The requirements in BFS 2014: 3 are fulfilled.

The products fulfil the following requirements of the Swedish *Planning and Building Act*, PBL, section 4 *The technical characteristics of construction works*, regarding the intended use of the products:

3. Protection with regard to hygiene, health and environment
4. Safety in use

Appendix 1: Associated documents	2018-09-10
Appendix 2: Product marking	2018-09-10
Appendix 3: Control	2018-09-10
Appendix 4: Basis for approval	2018-09-10

Kiwa Sverige AB
Campus Gräsvik 1
SE-371 75 Karlskrona

Tel +46 (0)455-30 56 00
Fax +46 (0)455-104 36
se.bygg@kiwa.com
www.kiwa.se



Accred no. 1913
Certification of
Products
ISO/IEC 17065

Date of decision: 2018-09-10

Ref. no: 589/18

Valid until: 2022-06-06

Previous ref. no: 411/17

Kiwa Sverige AB

Bertil Wolgast
Technical Manager

Magnus Jerlmark
Certification Engineer

Annex 1
Swedish Type Approval No. 1398
Product: Pillar taps and shut off units
Holder: Hansgrohe SE

ASSOCIATED DOCUMENTS 2018-09-10

Necessary accessories:

^{*)} AXOR Citterio E, Product code 36770180, Basic set for Trio shut-off/ diverter valve 120/120 for concealed installation, Assembly instruction 9.02734.01

^{**)} AXOR ShowerCollection, Product code 10971180, Basic set for shut-off valve 120/120 for concealed installation, Assembly instruction 9.04829.03

Trade name	Product code	Description	Acoustic group	Assembly instruction
AXOR Starck Organic	12110xxx	Pillar tap without waste set, for hot and/or cold tap water	I	9.01942.01
	12731xxx ^{*)}	Trio/ Quattro shut-off/ diverter valve 120/120 for concealed installation	I	9.04820.06
	12771xxx ^{*)}	Shut-off valve 120/120 for concealed installation		
AXOR Starck	10932xxx ^{*)}	Trio/ Quattro shut-off/ diverter valve 120/120 Square for concealed installation		
AXOR ShowerCollection	10972xxx ^{**)}	Shut-off valve 120/120 Square for concealed installation	I	9.02309.01
AXOR Citterio E	36771xxx ^{**)}	Shut-off valve 120/120 for concealed installation		
	36772xxx ^{*)}	Trio/ Quattro shut-off/ diverter valve 120/120 for concealed installation		
	36105xxx	Pillar tap without waste set, for hot and/or cold tap water	I	9.02309.01
AXOR Citterio M	34130xxx	Pillar tap without waste set, for hot and/or cold tap water	I	9.01218.01
HG Logis	71120xxx	Pillar tap 70 for cold water without waste set	I	9.02364.04
	71121xxx	Pillar tap 70 for hot water without waste set		
HG Logis Classic	71135xxx	Pillar tap 70 for cold water without waste set		
	71136xxx	Pillar tap 70 for hot water without waste set		
HG My Cube	71017xxx	Pillar tap without waste set	I	9.02936.01
HG Talis E	71706xxx	Pillar tap 80 for cold water without waste set		
HG Talis S	72017xxx	lar tap 80 for cold water without waste set	I	9.02917.01
AXOR Uno	38130xxx	Pillar tap without waste set, for hot and/or cold tap water	I	9.09172.07
HG	13132xxx	Pillar tap 40 without waste set	I	9.04002.06
HG Focus	31130xxx	Pillar tap 70 without waste set	I	9.01556.04
HG Metris	31166xxx	Pillar tap 100 without waste set	I	9.04002.06





Magnus Jerlmark

Kiwa Sverige AB

Annex 2
Swedish Type Approval No. 1398
Product: Pillar taps and shut off units
Holder: Hansgrohe SE

PRODUCT MARKING 2018-09-10

The product shall be permanently labelled with the following information:

- a. Holder: Hansgrohe SE
- b. Product name and product code
- c. Place of manufacture:
- d. Traceable mark to production date.
- e. Kiwa Sverige  Type Approval no: 1398 and the reg. mark of Boverket: 
- f. Accreditation number: 1913
- g. Designated Inspection Body: Kiwa

Among the accompanying documents, a Manufacturer's declaration, according to § 17 of Type 7 (Swedish *Boverket's regulations and general advice (2011:19) on type approval and production control*), shall be.

Manufacturer's declaration:

The manufacturing of this product has been made in accordance with the Swedish Type Approval with decision on production control and the documents submitted to the decision of issue of this Type Approval.



Annex 3**Swedish Type Approval No. 1398****Product: Pillar taps and shut off units****Holder: Hansgrohe SE****FACTORY PRODUCTION CONTROL 2018-09-10**

Factory production control shall be carried out to the extent given in the agreement no. 509/17.

Annual reporting:

The validity of the Type Approval requires that factory production control is carried out in accordance with the agreement no. 509/17 and that the holder fulfils the requirements for annual surveillance control. The holder shall report to Kiwa Sweden annually on surveillance control.

Installation inspection:

Installation inspection shall be carried out by an expert who shall verify the product identity and that the installation of the product complies with the assembly instruction.

Annex 4**Swedish Type Approval No. 1398****Product: Pillar taps and shut off units****Holder: Hansgrohe SE****BASIS FOR APPROVAL 2018-09-10**

The Type approval is based on:

- Material Analysis No. 26999 Rev.1 prepared by MASCO
- 4MS Composition List of accepted materials, dated 2018-06-19
- Test Report 84135203-AT15f, prepared by TÜV Rheinland LGA
- Test Report 57214213-03, prepared by TÜV Rheinland LGA
- Inspection agreement No. 509/17 between Kiwa Sverige AB and Hansgrohe SE
- Assessment report no. 411/17, dated 2017-06-07, prepared by Kiwa Sverige AB
- Assessment report no. 589/18, dated 2018-09-10, prepared by Kiwa Sverige AB

A handwritten signature in blue ink, appearing to read 'Magnus Jerlmark'.

Magnus Jerlmark



TYPGODKÄNNANDE 1398

MED BESLUT OM TILLVERKNINGSKONTROLL

SAKORD: TAPPVATTEN
Blandararmaturer

BBR 6:62

Innehavare: Hansgrohe SE

Auestrasse 5-9, 77761 Schiltach, Tyskland

Tel: +49 7836 51-0

E-post: info@hansgrohe.se Webb: <http://www.hansgrohe.com>

Produkt: Tappkranar och omkastare/avstängningsventiler

Tappkranar och omkastare/avstängningsventiler av mässing (EN 200) försedda mwd typgodkända kopplingsledningar.

Godkända produkter är angivna i bilaga 1 till detta typgodkännande.

Avsedd användning

Tappkranar och omkastare/avstängningsventiler, för kallt och/eller varmt tappvatten.

Godkännande

Produkten utförd och installerad enligt tillhörande handlingar godkänns med avseende på följande avsnitt i Boverkets byggregler (BBR):

Byggprodukter med bedömda egenskaper	1:4
Installationer för tappvatten (2:a stycket samt Allmänt råd)	6:62*
Tappvattenflöde (1:a meningen)	6:623
Utformning (1:a och 4:e stycket)	6:625

*Kraven i BFS 2014:3 är uppfyllda.

För avsedd användning uppfyller produkten följande krav i PBL, Plan- och Bygglagen 8 kap 4 § Byggnadsverks tekniska egenskaper

3. Skydd med hänsyn till hygien, hälsa och miljön
4. Säkerhet vid användning

Bilaga 1: Tillhörande handlingar	2018-09-10
Bilaga 2: Produktmärkning	2018-09-10
Bilaga 3: Kontroll	2018-09-10
Bilaga 4: Bedömningsunderlag	2018-09-10

Beslutsdatum: 2018-09-10

Diarienummer: 589/18

Giltigt till: 2022-06-06

Tidigare diarienummer: 411/17

Kiwa Sverige AB

Bertil Wolgast
Tekniskt ansvarig

Magnus Jerlmark
Handläggare

CERTIFIKAT

Kiwa Sverige AB
Campus Gräsvik 1
SE-371 75 Karlskrona

Tel +46 (0)455-30 56 00
Fax +46 (0)455-104 36
se.bygg@kiwa.com
www.kiwa.se



Bilaga 1
Typgodkännande nr 1398
Produkt: Tappkranar och
omkastare/avstängningsventiler
Innehavare: Hansgrohe SE

TILLHÖRANDE HANDLINGAR 2018-09-10

Nödvändiga tillbehör:

^{*)} AXOR Citterio E, art.nr. 36770180, Inbyggnadsdel för Trio omkastare/avstängningsventil 120/120, Installationsmanual 9.02734.01

^{**)} AXOR ShowerCollection, art.nr. 10971180, Inbyggnadsdel för avstängningsventil 120/120, Installationsmanual 9.04829.03



Handelsnamn	Artikel nummer	Beskrivning	Ljudklass	Installations manual nr.
AXOR Starck Organic	12110xxx	1-grepps tappkran 50 utan bottenventil varm- eller kallvattenanslutning	I	9.01942.01
	12731xxx ^{*)}	Färdigset till Trio/Quattro omkastare/avstängningsventil		
	12771xxx ^{*)}	Färdigset till avstängningsventil 120/120 Organic för inbyggnad		
AXOR Starck	10932xxx ^{*)}	Färdigset till Trio/Quattro omkastare/avstängningsventil 120/120 Square för inbyggnad		
AXOR ShowerCollection	10972xxx ^{**)}	Färdigset till avstängningsventil 120/120 Square för inbyggnad	I	9.04820.06
AXOR Citterio E	36771xxx ^{**)}	Färdigset till avstängningsventil 120/120 Softcube för inbyggnad		
	36772xxx ^{*)}	Färdigset till Trio/Quattro omkastare/avstängningsventil 120/120		
	36105xxx	1-grepps tappkran 90 utan bottenventil varm- eller kallvattenanslutning	I	9.02309.01
AXOR Citterio M	34130xxx	Tappkran utan bottenventil varm- eller kallvattenanslutning	I	9.01218.01
HG Logis	71120xxx	Tappkran 70 kallvattenanslutning utan bottenventil		
	71121xxx	Tappkran 70 varmvattenanslutning utan bottenventil		
HG Logis Classic	71135xxx	Tappkran 70 kallvattenanslutning utan bottenventil	I	9.02364.04
	71136xxx	Tappkran 70 varmvattenanslutning utan bottenventil		
HG My Cube	71017xxx	Tappkran		
HG Talis E	71706xxx	Tappkran 80 kallvattenanslutning utan bottenventil	I	9.02936.01
HG Talis S	72017xxx	Tappkran 80 kallvattenanslutning utan bottenventil	I	9.02917.01
AXOR Uno	38130xxx	Tappkran utan bottenventil varm- eller kallvattenanslutning	I	9.09172.07
HG	13132xxx	Tappkran 40 utan bottenventil	I	9.04002.06
HG Focus	31130xxx	Tappkran 70 utan bottenventil	I	9.01556.04
HG Metris	31166xxx	Tappkran 100 utan bottenventil	I	9.04002.06



Bilaga 2
Typgodkännande nr 1398
Produkt: Tappkranar och
omkastare/avstängningsventiler
Innehavare: Hansgrohe SE

PRODUKTMÄRKNING 2018-09-10

Produkterna ska märkas beständigt med följande information:

1. Innehavare: Hansgrohe SE
2. Typbeteckning eller produktnamn samt artikelnummer
3. Tillverkningsställe:
4. Spårbarhet: Tillverkningsår mån eller annan spårbarhet till tillverkningen.
5. Kiwa Sverige  Typgodkännande nr: 1398 samt Boverkets logo: 
6. Ackrediteringsnummer: 1913
7. Utsett kontrollorgan: Kiwa Sverige

I tillhörande handlingar ska Tillverkarförsäkringen enligt 17 § i Typ 7 finnas.

Tillverkarförsäkringen:

Tillverkningen av denna produkt har skett i enlighet med typgodkännandet med beslut om tillverkningskontroll samt de handlingar som lagts till grund för beslutet om typgodkännandet.

Bilaga 3
Typgodkännande nr 1398
Produkt: Tappkranar och
omkastare/avstängningsventiler
Innehavare: Hansgrohe SE

KONTROLL 2018-09-10

Tillverkningskontroll skall utföras i omfattning enligt kontrollavtal nr. 509/17.

Årlig rapportering:

Typgodkännandets giltighet förutsätter att tillverkningskontroll sker enligt kontrollanvisningen samt att innehavaren årligen uppfyller kraven för övervakande kontroll. Innehavaren skall årligen rapportera till Kiwa Sverige om utförd tillverkningskontroll.

Byggkontroll:

Byggkontroll skall utföras genom identifiering av produkten samt kontroll av att produkten är installerad enligt anvisningen av sakkunnig person.



Bilaga 4
Typgodkännande nr 1398
Produkt: Tappkranar och
omkastare/avstängningsventiler
Innehavare: Hansgrohe SE

BEDÖMNINGСУNDERLAG 2018-09-10

Utökningen av Typgodkännandet baseras på:

- Materialanalys nr. 26999 Rev.1 utförd av MASCO
- 4MS Composition List of accepted materials (2018-06-19)
- TÜV Rheinland LGAs provningsrapport 84135203-AT15f
- TÜV Rheinland LGAs provningsrapport 57214213-03
- Kontrollavtal nr. 509/17 mellan Kiwa Sverige och Hansgrohe
- Bedömningsrapport nr. 411/17 daterad 2017-06-07
- Bedömningsrapport nr. 589/18 daterad 2018-09-10

A handwritten signature in blue ink, appearing to read "Magnus Jerlmark".

Magnus Jerlmark