



CorePro LEDcapsule MV



CorePro LEDcapsule 2-25W ND G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

G9 [G9]
Yes
Yes
15000 h
8000
Sphere
CorePro
830 [CCT of 3000K]
220 lm
White (WH)
3000 K
110.00 lm/W
<6
80
70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2 W
Lamp Current (Nom)	20 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	78 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Clear
Bulb Shape	Capsule


Datasheet, 2022, December 5 data subject to change

CorePro LEDcapsule MV

Approval and application		
Energy Efficiency Class	Е	
Suitable For Accent Lighting	No	
Energy Consumption kWh/1000 h	2 kWh	
EPREL Registration Number	453188	
Product data		
Full product code	871951430391100	
Order product name	CorePro LEDcapsule 2-25W ND G9 830	

EAN/UPC - Product	8719514303911
Order code	929002495302
Numerator - Quantity Per Pack	1
Local code description	G9WW2WG3
Numerator - Packs per outer box	12
Material Nr. (12NC)	929002495302
Net Weight (Piece)	0.012 kg


Dimensional drawing



CorePro LEDcapsule 2-25W ND G9 830


Product	D	С
CorePro LEDcapsule 2-25W ND G9 830	14.5 mm	48 mm

Photometric data



Olod & Recognition CS | Paller Lisher RV | Page CF


LEDCapsule CorePro 2W G9 830-GUL



LEDCapsule CorePro 2W G9 830-LDD


CorePro LEDcapsule MV


Photometric data



LEDCapsule CorePro 2W G9 830-POC

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.