

PRODUCT DATASHEET ENDURA STYLE Lantern Modern 12 W DG

ENDURA STYLE LANTERN MODERN | Contemporary lanterns with light guide for low-glare illumination



AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- Easy and quick installation

PRODUCT FEATURES

- Very bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available as wall and bollard luminaires



TECHNICAL DATA

Electrical data

Nominal wattage	11.50 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

Photometrical data


Color temperature	3000 К
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	610 lm
Luminous efficacy	53 lm/W

Light technical data

Beam angle	210.00 ° ¹⁾
------------	------------------------

¹⁾ ZMP_110132

Dimensions & weight



h	

Length	176.0 mm
Width	110.0 mm
Height	240.0 mm
Product weight	1300.00 g

Colors & materials

Body material	Aluminum	
Product color	Dark gray	
Housing color	Dark gray	
Cover material	Polycarbonate (PC)	

Temperatures & operating conditions

Ambient temperature range	-20+40 °C	
ifespan		
Number of switching cycles	15000	
Lifespan	30000 h	
·	Surface	
Mounting type	Surface Wall	
Additional product data Mounting type Mounting location Capabilities		

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	1	
Type of protection	IP44	
Standards	CE/EAC/REACH/RoHS	

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205017	Folding carton box 1	134 mm x 204 mm x 296 mm	1370.00 g	8.09 dm³
4058075205024	Shipping carton box 4	425 mm x 285 mm x 315 mm	5822.00 g	38.15 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.