

# **PRODUCT DATASHEET** ENDURA STYLE Lantern Modern 900 12 W DG

**ENDURA STYLE LANTERN MODERN | Contemporary lanterns with light guide for low-glare illumination** 



# **AREAS OF APPLICATION**

- Outdoor use (IP44)
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

# **PRODUCT BENEFITS**

- Energy-efficient thanks to LED technology
- Easy and quick installation

#### **PRODUCT FEATURES**

- Very bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available as wall and bollard luminaires



# **TECHNICAL DATA**

# Electrical data

Nominal wattage	11.50 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

## Photometrical data

Color temperature	3000 К
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	610 lm
Luminous efficacy	53 lm/W

# Light technical data

Beam angle	210.00 ° <sup>1)</sup>
------------	------------------------

<sup>1)</sup> ZMP\_110132

# Dimensions & weight



Diameter	110.0 mm
Height	900.0 mm
Product weight	3100.00 g

## Colors & materials

Body material	Aluminum
Product color	Dark gray
Housing color	Dark gray
Cover material	Polycarbonate (PC)

# Temperatures & operating conditions

#### PRODUCT DATASHEET

Ambient temperature range	-20+40 °C
---------------------------	-----------

## Lifespan

Number of switching cycles	15000
Lifespan	30000 h

#### Additional product data

Mounting type	Surface
Mounting location	Wall

## Capabilities

Dimmable	No	
Type of connection	Screw terminal	
LED module replaceable	Not replaceable	

#### Certificates & standards

Protection class	1
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

## **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205055	Folding carton box 1	194 mm x 194 mm x 936 mm	3310.00 g	35.23 dm³
4058075205062	Shipping carton box 2	405 mm x 205 mm x 955 mm	7509.00 g	79.29 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.